

## DS-D5032QE 31.5" Monitor



The Hikvision DS-D5032QE 31.5" monitor features a full 1920 x 1080 HD image on a 16.7 million color display. HDMI support of up to 1080p in addition to VGA input.

Built-in speakers feature rich sound with 5 Watts of output out of dual speakers.

### Available Models:

DS-D5032QE

- LED Backlit Technology with Full HD 1920×1080
- 16.7 Million Color Display
- HDMI Support up to 1080p
- Multiple Inputs: HDMI, VGA
- Built-In Speaker, Audio 5 W x 2
- Auto Signal Input Detection
- Smart Engine for Phase/Image Position/Color Calibration
- Plastic Casing
- Narrow Front Bezel



## Specifications

<b>Model</b>	<b>DS-D5032QE</b>	
<b>Backlight</b>	LED backlight	
<b>Screen Size</b>	31.5-inch	
<b>Pixel Pitch</b>	0.36375 mm x 0.36375 mm	
<b>Maximum Resolution</b>	1920 x 1080 @ 60 Hz	
<b>Brightness</b>	300 cd/m <sup>2</sup> (typical)	
<b>Contrast</b>	1400:1 (typical)	
<b>Response Time</b>	8 ms	
<b>Color</b>	16.7 M	
<b>Active Area</b>	698.4 mm (H) x 392.85 mm (V)	
<b>Viewing Angle</b>	178° (H)/178° (V)	
<b>Interfaces</b>	VGA input	x1
	HDMI input	x1
	Audio input	x1
	RJ-45 (RS-232)	x1
<b>Power Supply</b>	100 to 240 VAC, 50/60 Hz	
<b>Power Consumption</b>	<55 W	
<b>Standby Power Consumption</b>	<0.5 W	
<b>Loudspeaker</b>	5 W x 2	
<b>Working Temperature</b>	41°–104° F (5°–40° C)	
<b>Working Humidity</b>	20%–80% RH (non-condensing)	
<b>Storage Temperature</b>	-4°–140° F (-20°–60° C)	
<b>Storage Humidity</b>	10%–90% RH (non-condensing)	
<b>Casing Color</b>	Black	
<b>VESA</b>	M4, 100 mm x 100 mm	
<b>Dimensions (W x H x D)</b>	<b>with Base</b>	28.62" x 18.66" x 2.52" (727 mm x 474 mm x 64 mm)
	<b>without Base</b>	28.62" x 16.69" x 2.52" (727 mm x 424 mm x 64 mm)
<b>Packing Dimensions (W x H x D)</b>	31.65" x 20" x 5.35" (804 mm x 500 mm x 136 mm)	
<b>Gross Weight</b>	14 lb 15 oz (6.763 kg)	
<b>Net Weight</b>	11 lb 4 oz (5.09 kg)	
<b>Accessories</b>	Power cord	x1
	Battery	x1
	Remote control	x1
	User manual	x1
<b>Brackets</b>	Pedestal	x1
	Wall mount	DS-DM1940W (not included)

\*NOTE All specifications mentioned above are subject to the actual product

## Interfaces

No.	Description
①	RJ-45, RS-232
②	HDMI In
③	VGA In
④	Audio In



# Dimensions (unit: mm)

