

Title:	RN 5 and 7 Series Network Camera Release Notes	Version:	v5.5.91	Date:	042919
Product:	5 and 7 Series Cameras	Build:	190218	Page:	1 of 4
Action Required:	None, Information Only				

■ General Information

New 5 Series and 7 Series Network Camera firmware.

Firmware Basic Information	Firmware Version:	v5.5.91_190218
	SDK Version:	v6.0.0.25 build 181220_win32
	SADP Version:	v3.0.0.11 build 170710
	Playctrl.dll:	v7.3.5.0
	SystemTransform.dll:	v2.5.2.15
	AudioIntercom.dll:	v1.4.0.6
	iVMS-4200:	v2.6.13.6_181221

■ Features

• Optimization

- Optimized compatibility with NVR when using 8443 port
- Optimize compatibility with ONVIF V1806

• Compatibility Update

- Milestone

Milestone Enterprise 8.1a (2016 R2 10.2a), Milestone Device Pack 9.9 Milestone Corporate (2018 R2), Milestone Device Pack 9.9

- Exacqvision

Version: 9.2.3.130093

- Avigilon Control Center

Version: v6.8.6.4

- Intellect

Version: v4.10.4

- Digifort

Version: v7.2.1

- Axxon

Version: AxxonNext-4.2.0.7697

Title:	RN 5 and 7 Series Network Camera Release Notes	Version:	v5.5.91	Date:	042919
Product:	5 and 7 Series Cameras	Build:	190218	Page:	2 of 4
Action Required:	None, Information Only				

- **Tested NVRs**

- > DS-96256NI-I24/H (baseline v4.1.63)
- > 96000 I Series 96000NI-I Series NVR (v3.6.21)
- > E Series: DS-7604NI-E1 (STD) I Series: DS-8664NI-I8
- > K Series: v3.4.103 Q Series: V3.4.103
- > -D Series: HiLook v3.4.98_180905
- > Wi-Fi HiLook/HiWatch: v3.4.98_180905
- > DeepInmind NVR, v4.1.31
- > DeepInmind NVR, -X
- > DeepInmind NVR, S-V2 Series
- > DeepInmind NVR, v4.1.25
- > DeepInmind NVR, FA
- > DeepInmind NVR, S Series
- > AcuseNVR, v4.1.13_180925

- **Tested Keyboards**

- > DS-1600KI v3.0.1
- > DS-1006KI v1.0

■ **Customer Impact and Recommended Action**

This update refers to function/compatibility improvements and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action.

For any questions and request for this firmware, please contact our local technical support team.

Title:	RN 5 and 7 Series Network Camera Release Notes	Version:	v5.5.91	Date:	042919
Product:	5 and 7 Series Cameras	Build:	190218	Page:	3 of 4
Action Required:	None, Information Only				

■ Remarks

- Hikvision reserves the right to change, alter, or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain defects or errors known as errata, which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Supported Product List (5xxx, 7xxx)		
Product Category	Model Number	Product Description
Box Camera	DS-2CD5026G0-(A)(P)	2 MP, 60 fps, 140 dB WDR
Box Camera	DS-2CD5046G0-(A)(P)	4 MP, 140 dB WDR
Box Camera	DS-2CD5085G0-(A)(P)	8 MP, ABF, P-iris optional
Box Camera	DS-2CD50C5G0-(A)(P)	12 MP, ABF, P-iris optional
Indoor Dome Camera	DS-2CD5126G0-IZS (2.8 mm-12 mm)	2 MP, 60 fps, 140 dB WDR
Indoor Dome Camera	DS-2CD5146G0-IZS (2.8 mm-12 mm)	4 MP, IK10, 140 dB WDR
Indoor Dome Camera	DS-2CD5165G0-IZS (2.8 mm-12 mm)	6 MP, IK10, WDR
Indoor Dome Camera	DS-2CD5185G0-IZS (2.8 mm-12 mm)	8 MP, IK10, WDR
Indoor Dome Camera	DS-2CD51C5G0-IZS (2.8 mm-12 mm)	12 MP, IK10, IR
Anti-Corrosion Dome Camera	DS-2CD5526G0-IZ(H)SY (2.8 mm-12 mm)	2 MP, IR, anti-corrosion
Anti-Corrosion Dome Camera	DS-2CD5546G0-IZ(H)SY (2.8 mm-12 mm)	4 MP, IR, auto-iris, anti-corrosion
Outdoor Dome Camera	DS-2CD5526G1-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm) (External cable) (Sample)	2 MP, IR, auto-iris
Outdoor Dome Camera	DS-2CD5546G1-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm) (External cable) (Sample)	4 MP, IR, auto-iris
Outdoor Dome Camera	DS-2CD5585G1-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm) (External cable) (Sample)	8 MP, IR, auto-iris
Outdoor Dome Camera	DS-2CD5526G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	2 MP, IR, heater optional
Outdoor Dome Camera	DS-2CD5546G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	4 MP, IR, WDR
Outdoor Dome Camera	DS-2CD5565G0-IZ(H)S (2.8 mm-12 mm)	6 MP, IR, WDR
Outdoor Dome Camera	DS-2CD5585G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	8 MP, IR, heater optional

Title:	RN 5 and 7 Series Network Camera Release Notes	Version:	v5.5.91	Date:	042919
Product:	5 and 7 Series Cameras	Build:	190218	Page:	4 of 4
Action Required:	None, Information Only				

Product Category	Model Number	Product Description
Outdoor Dome Camera	DS-2CD55C5G0-IZ(H)S (2.8 mm-12 mm)	12 MP, IR, heater optional
Bullet Camera	DS-2CD5A26G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	2 MP, IR, WDR, heater optional
Bullet Camera	DS-2CD5A46G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	4 MP, IR, WDR, heater optional
Bullet Camera	DS-2CD5A65G0-IZ(H)S (2.8 mm-12 mm)	6 MP, IR, heater optional
Bullet Camera	DS-2CD5A85G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	8 MP, IR, heater optional
Bullet Camera	DS-2CD5AC5G0-IZ(H)S (2.8 mm-12 mm)	12 MP, IR, heater optional
Bullet Camera	DS-2CD5A26G1-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm) (Sample)	2 MP, IR, WDR
Bullet Camera	DS-2CD5A46G1-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm) (Sample)	4 MP, IR, WDR
Bullet Camera	DS-2CD5A85G1-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm) (Sample)	8 MP, IR, WDR
Box Camera	DS-2CD7026G0-(A)(P)	2 MP, P-iris optional
Box Camera	DS-2CD7046G0-(A)(P)	4 MP, P-iris optional
Box Camera	DS-2CD7065G0-(A)(P)	6 MP, P-iris optional
Box Camera	DS-2CD7085G0-(A)(P)	8 MP, P-iris optional
Indoor Dome Camera	DS-2CD7126G0-IZS (2.8 mm-12 mm) (8 mm-32 mm)	2 MP, IK10, WDR, IR
Indoor Dome Camera	DS-2CD7126G0/L-IZS (2.8 mm-12 mm)	2 MP, IK10, WDR, IR
Indoor Dome Camera	DS-2CD7146G0-IZS (2.8 mm-12 mm) (8 mm - 32 mm)	4 MP, IK10, WDR, IR
Indoor Dome Camera	DS-2CD7165G0-IZS (2.8 mm-12 mm)	6 MP, IK10, IR
Indoor Dome Camera	DS-2CD7185G0-IZS (2.8 mm-12 mm) (8 mm-32 mm)	8 MP, IK10, IR
Outdoor Dome Camera	DS-2CD7526G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	2 MP, IR, WDR
Outdoor Dome Camera	DS-2CD7546G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	4 MP, IR, WDR
Outdoor Dome Camera	DS-2CD7565G0-IZ(H)S (2.8 mm-12 mm)	6 MP, IR, WDR
Outdoor Dome Camera	DS-2CD7585G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	8 MP, IR, WDR
Bullet Camera	DS-2CD7A26G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	2 MP, IR, WDR
Bullet Camera	DS-2CD7A46G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	4 MP, IR, WDR
Bullet Camera	DS-2CD7A65G0-IZ(H)S (2.8 mm-12 mm)	6 MP, IR, heater optional
Bullet Camera	DS-2CD7A85G0-IZ(H)S (2.8 mm-12 mm) (8 mm-32 mm)	8 MP, IR, heater optional